Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

- 1.-24. (Cancelled)
- 25. (Currently Amended) A computer readable medium <u>having instructions for generating instances of a document based on a template structured according to having a schema for a document generation system, the schema comprising:</u>
 - a template root element;
 - a template information element;
- a data table element <u>configured to contain data that is used to transform an abstract</u> instance of a document template to a concrete instance of a document template; and
 - an instances element containing at least one instance element.
- 26. (Currently Amended) A computer readable medium as claimed in claim 25, wherein the instance instances element is configurable to include a an instance data table element, a pages element, an overlays element, and a continuations element, and a data element.
- 27. (Previously Presented) A computer readable medium as claimed in claim 26, wherein the pages element is configurable to include a page element and the page element is configurable to include an overlays element and a composition element.
- 28. (Previously Presented) A computer readable medium as claimed in claim 26, wherein the overlays element is configurable to include one or more overlay elements.
- 29. (Previously Presented) A computer readable medium as claimed in claim 26, wherein the continuations element is configurable to include one or more continuation elements and one or more overflow default elements.
- 30. (Currently Amended) A computer readable medium as claimed in claim 26, wherein the instance data table element is configurable to include one or more datum elements.

31. (Withdrawn) A computer readable medium having a data structure for a document, the data structure comprising:

an instance element; and

one or more pages, each page including one or more compositions, each composition configurable to include a collection of unique data placements and a level, and capable of manifesting itself as a document page, a page-level overlay, or an instance-level, conditional overlay.

- 32. (Withdrawn) A computer readable medium as claimed in claim 31, wherein each composition includes a composition information element, a regions element, a font element, a field modifiers element, and a field table.
- 33. (Withdrawn) A computer readable medium as claimed in claim 31, further comprising one or more continuations elements and one or more overflow default elements.
- 34. (Currently Amended) A computer readable medium having <u>instructions for generating</u> <u>instances of a document based on a template defining a data structure for the a-document, the data structure comprising:</u>
 - a template root element;
 - a template information element;
 - a data table element; and

an instances element <u>including at least one instance element</u> configured to describe how a document is constructed, the instance element including an instance data table element and at <u>least one continuations element</u>, the continuations element defining continuation handling for data included in the data table element, the instance data table element, or both.

- 35. (Currently Amended) A computer readable medium as claimed in claim 34, wherein the template information element includes descriptive information about the template root element.
- 36. (Currently Amended) A computer readable medium as claimed in claim 35, wherein the descriptive information includes a title element that contains a title for the document at hand, a

description element that is a container for free-form text about the template <u>root</u> element, a help text element, which is a container for free-form information that may be useful to a consumer of the document, and a document type element that is provided to support a type element from other schemas or DTDs.

- 37. (Previously Presented) A computer readable medium as claimed in claim 34, wherein the template information element includes a print constraints element which is a container for special values that may be needed or used by a printing environment.
- 38. (Previously Presented) A computer readable medium as claimed in claim 34, wherein the data table element includes data values to be used in a specific instance of a template.
- 39. (Previously Presented) A computer readable medium as claimed in claim 38, wherein the data table element defines a structure of data values that can be accessed by name, or by a combination of name and one or more indices.
- 40. (Cancelled).
- 41. (Currently Amended) A computer readable medium as claimed in claim [[40]]34, wherein each instance[[s]] element is configurable to include a pages element, and an overlays element, a continuations element, and data table element.
- 42. (Previously Presented) A computer readable medium as claimed in claim 41, wherein each pages element is configurable to include one or more page elements.
- 43. (Previously Presented) A computer readable medium as claimed in claim 42, wherein each page element is configurable to include an overlays element and one or more composition elements.
- 44. (Previously Presented) A computer readable medium as claimed in claim 43, wherein each overlays element may include one or more overlay elements.
- 45. (Previously Presented) A computer readable medium as claimed in claim 44, wherein each continuations element is configurable to include one or more continuation elements and one or more overflow default elements.

- 46. (Previously Presented) A computer readable medium as claimed in claim 45, wherein continuation elements are configured to be used by a processor to process overflows.
- 47. (Withdrawn) A computer-implemented method of generating a document, the method comprising:

generating one or more composition elements, each composition element configurable to include a level, and capable of manifesting itself as a document page, a page-level overlay, or an instance-level, conditional overlay; and

laying composition elements on a rendering surface such that elements with a high level replace elements with a low level;

wherein each composition element includes pre-authored formal content.

48. (Withdrawn) A method as claimed in claim 47, wherein each composition element is configurable to include a field target and the method further comprises

processing an overflow condition when a data value assigned to a field target cannot be drawn in the available space according to the attributes governing that space.

- 49. (Withdrawn) A method as claimed in claim 48, wherein processing an overlow condition includes applying a font reduction to a field and placing the field on a page in which the overflow condition occurred.
- 50. (Withdrawn) A method as claimed in claim 48, wherein processing an overflow condition includes moving a field to a continuations page.
- 51. (Withdrawn) A method as claimed in claim 48, wherein processing an overflow condition includes moving one or more fields to a single continuation page and arranging the fields with a caption and a forwarding message.
- 52. (New) A computer readable medium having instructions for generating instances of a document based on a template structured according to a schema, the schema comprising:

a data table element configured to contain data that is used to transform an abstract instance of a document template to a concrete instance of a document template; and

U.S. Application No. 10/814,554 Response to Office Action dated March 1, 2007

an instances element containing at least one instance element.